



2. MSTN

5 / MSTN^{CC} / 36 /47, /

MSTN^{TT} MSTN^{CT} 6: 45 (/

MSTN^{CT} / 6/ (/

MSTN/

CC CT MSTN1 1

/ / / /

1

Заключение. /

MSTN^{CC} MSTN^{CT} / MSTN^{TT}

4/ 5/9 / 4/6 3/ /

3/6 3/5 1

MSTN^{CC} / MSTN^{CT} MSTN^{TT} 9/6 8/5 (

3/ 8, MSTN^{CC} : (3/ 8,1 MSTN^{TT} MSTN^{CC}

/ 3/ , 5/ (1 /36 /47, /

MSTN^{CC} / 6: 45 (/

MSTN^{TT} MSTN^{CT} 6/ (/

MSTN^{TT}.

- MSTN , -

MSTN^{CT} /

MSTN^{CC}.

ЛИТЕРАТУРА:

1. / 1 1 MSTN ,

2 1 1 / 1 1 / 1 1 2

53, 17. 1 3 94. - 1 /534 1 1

2. 2 1 1 11 1 /53371 285

3. / 1 1 1 /

4. 2 1 1 / 1 1 1 1 /53451 685 1 5349 5353 49 5347 1 8; 8 `1

5. 2 -fermer.by/download/razvitie_2016-2020.pdf. 59B8E534 1 2 1 1 /

1 1 2 1 2015. 41 153 23.

6. / 1 1 1 2 1 1 1

1 1 1 2004. 1771 153 262.

7. Binns, M. M. Identification of the miostatin locus (MSTN) as having a major effect on optimum racing distance in the Thoroughbred horse in the USA / M. M. Binns [et al.] // *Animal genetics*. 2010. Vol. 41, suppl. 2. P. 28-35.

8. Deveaux, V. Influence du facteur d d P d d d d d d e 1 /H G d 2 1G d 1 2002. 1333 p.

9. e / P 1 Development of ACRS-PCR Metod for Detection of Single Nucleotide Polymorphism g. 66493737C/T of the H P d P V , 2 P 1 e / P 1 P / D1 d 2 V Sd D d V d Biotechnologies. 2014. 17: / 51 .52 55.